





MIST
Carpet Tiles



Mist 401
Mist 500




Mist 100
Mist 101






Mist 200
Mist 231





Mist 300





Mist 400 401



Mist 500








Mist 700 701 702



Mist 800 801





Mist 900





Mist 100



Mist 101



Mist 200



Mist 231



Mist 300




Mist 400




Mist 401



Mist 500



Mist 600



Mist 700



Mist 701



Mist 702



Mist 800



Mist 801



Mist 900

SPECIFICATION:

Face yarn:	100% Universal Nylon
Dye method:	100% Solution dyed
Gauge:	1/10
Pile weight:	500±20g/m ² (±5%)
Total weight:	2610g/m ² (±5%)
Pile height:	4/3/2mm
Total height:	5mm (±1mm)
Backing:	FPE
Size:	45.72cmx91.44cm(18"x36")
Dimensional stability:	≤0.2%
Packaging box:	16 tiles/6.688 m ²

PERFORMANCE

Classification:	33
Castor chair rating:	A: intensive use
Fire classification :	Class 1 (ASTM E648)
Stain Resistance :	Grade 8(AATCC 175)
Permanent antistatic:	≤2kv (GB/T 18044-2008)
Impact sound insulation:	ΔL _w :26 dB
Sound absorbtion:	Frequency Hz:125 250 500 1000 2000 4000
	α _s 0.01 0.05 0.08 0.22 0.34 0.44
Noise reduction:	α _w : 0.20
Colour fastness to light:	5 grade QB/T 2755-2005
Colour fastness to water:	4-5 grade QB/T 2755-2005
Rubbing fastness:	4-5 grade QB/T 2755-2005
Indoor air quality:	
(GB18587-2001 A grade)	TVOC ≤0.500mg/m ² h

Formaldehyde ≤ 0.050mg/m²h

Styrene ≤ 0.400mg/m²h

4-phenylcyclohexene ≤ 0.050mg/m²h

