

The background is a complex, abstract composition of overlapping geometric planes and surfaces. The color palette is primarily dark blues, greys, and blacks, with some lighter, textured areas. One prominent feature is a large, tilted rectangular plane with a white, intricate, organic pattern that resembles a topographical map or a complex wood grain. The overall effect is one of depth and architectural complexity.

CITY C

COLOR YOUR SPACE





CITY C COLLECTION

Innovflor

City collection is made up of a complete set of shades of grey, blue and beige. With a dense appearance and vivid colors, the overall effect is very elegant. Whether it's a single or multi-tone combination, laying a rug will create endless possibilities. This product is highly compressive and durable, ideal for transition areas.

Color your space



CITY C-02A



CITY C-08A





CITY C 02/07



CITY C 08




CITY C 01




CITY C 05/06



**1%
Better
Every Day
Can Lead To
Big Changes.**





CITY C

SPECIFICATION:

Face yarn:	100% Nylon
Dye method:	100% Solution dyed
Gauge:	1/12
Pile weight:	600g/m ² (±5%)
Total weight:	5160g/m ² (±5%)
Pile height:	4.6/2.9mm (±0.5mm)
Total height:	7.5mm(±0.5mm)
Backing:	PVC
Size:	50cm*50cm
Dimensional stability:	≤0.2%
Packaging box:	20 tiles/ 5 m ² , pallet 200 m ²

PERFORMANCE

Classification:	33
Castor chair rating:	A: intensive use
Fire classification :	Bf1-S1
Soil resistance :	2-3 grade ISO11378-2: 2001
Permanent antistatic:	≤2kv AATCC134-2016
Impact sound insulation:	ΔL _w :26 dB
Sound absorbtion:	Frequency Hz:125 250 500 1000 2000 4000 α _s 0.01 0.05 0.08 0.22 0.34 0.44
Noise reduction:	α _w :0.20
Colour fastness to light:	6 grade QB/T 2755-2005
Colour fastness to water:	4-5 grade QB/T 2755-2005
Rubbing fastness:	4-5 grade QB/T 2755-2005
Indoor air quality:	(GB18587-2001 A grade) TVOC ≤0.500mg/m ² h Formaldehyde≤ 0.050mg/m ² h Styrene≤ 0.400mg/m ² h 4-phenylcyclohexene≤ 0.050mg/m ² h

Installation method

